


Technical File


Keen Line - Desk Fix | Acrylic Guard





01

Dimensions






Desk Fix | Acrylic Guard

LATERAL

Width: 600mm Height: 700mm Acrylic Guard Height: 150mm Thickness: 24mm Width: 700mm Height: 700mm Acrylic Guard Height: 150mm Thickness: 24mm




Desk Fix | Acrylic Guard

FRONTAL

Width: 1200mm	Height: 700mm	Acrylic Guard Height: 150mm	Thickness: 24mm
Width: 1400mm	Height: 700mm	Acrylic Guard Height: 150mm	Thickness: 24mm
Width: 1600mm	Height: 700mm	Acrylic Guard Height: 150mm	Thickness: 24mm
Width: 1800mm	Height: 700mm	Acrylic Guard Height: 150mm	Thickness: 24mm







02 Finishes



Composition Painted Birch Plywwod
Thickness 15 mm
FSC certified
PEFC certified
Harvestered under EU timber regulations

Lacquered Finish White



Composition Painted Birch Plywwod
Thickness 15 mm
FSC certified
PEFC certified
Harvestered under EU timber regulations

Lacquered FinishGrey



Composition Laminated Birch Plywood Thickness 15 mm

Wear Resistance ISO 4586-1/2: 350 Cycles Stain Resistance ISO 4586-1/2: 5
Fully cleanable and disinfectable FSC certified PEFC certified Harvestered under EU timber regulations

Laminated FinishBeige Gaudi



Composition Laminated Birch Plywood Thickness 15 mm Wear Resistance ISO 4586-1/2: 350 Cycles Stain Resistance ISO 4586-1/2: 5 Fully cleanable and disinfectable FSC certified PEFC certified Harvestered under EU timber regulations **Laminated Finish**Grey Stone





Composition Laminated Birch Plywood Thickness 15 mm Wear Resistance ISO 4586-1/2: 350 Cycles Stain Resistance ISO 4586-1/2: 5 Fully cleanable and disinfectable FSC certified PEFC certified Harvestered under EU timber regulations Laminated Finish Lino Blanco



Composition Laminated Birch Plywood Thickness 15 mm Wear Resistance ISO 4586-1/2: 350 Cycles Stain Resistance ISO 4586-1/2: 5 Fully cleanable and disinfectable FSC certified PEFC certified Harvestered under EU timber regulations Laminated Finish Lino Gris



Thickness 8 mm Transparency Clear **Acrylic** Clear